



**PRINTRELAIS 1XOM 12VDC 254 OHM SCHAKELVERMOGEN 30A/230VAC
PRINT**

€ 4,50

Excl. BTW: € 3,72

Afbeeldingen



Beschrijving

Technical Specifications

Contact	
V23086C10011402, _2A403:	SPST-NO
V23086C1001A403, _2A803:	SPDT
Contact Material:	AgNiSO ₂
Rated Current:	30A
Rated Voltage:	250V AC

Max. Switching Voltage:	400V AC
Max. Switching Power:	2000VA
Creepage/Clearance:	8/8mm
Operate/Release Time:	3/1,5ms
Testing Voltage	
Coil/Contact:	500V _{rms}
Opening Contact:	500V _{rms}
Lifetime	
Mechanical:	5x10 ⁶ Operations
Electrical:	see Datasheet
Operating Temperature:	-40...+105°C
Weight Approx.:	4g

Coil Data

Part Nr.	U _N	U _{An}	U _{Ab}	P _N	R _N
	[V DC]	[V]	[V]	[mW]	[Ohm]
V23086C1001A402	12	6,9	1,5	567	254

U_N = Rated Voltage, U_{An} = Operate Voltage, U_{Ab} = Release Voltage, P_N = Rated Power, R_N = Coil Resistance; All Specifications Measured at 23°C

Productinformatie

Artikelnummer	RO12D1WYA
Merk	TE
Is on Sale	Nee

