


## LED DRIVER 10-45VDC 250-1000MA 32W 129,5X97X30MM

€ 19,95

Excl. BTW: € 16,49

### Afbeeldingen



Model	Output Voltage (V)	Output Current (mA)	Power (W)	Efficiency (%)	Power Factor	Temp. Rise (°C)	Temp. Range (°C)	Temp. Coefficient (%)	Temp. Stability (%)	Temp. Accuracy (%)	Temp. Resolution (%)	Temp. Precision (%)	Temp. Accuracy (°C)	Temp. Resolution (°C)	Temp. Precision (°C)	Temp. Accuracy (°C)	Temp. Resolution (°C)	Temp. Precision (°C)
PROFESSIONALE 42	12	250	3	95	0.95	10	-40 to 100	±0.5	±0.5	±0.5	±0.5	±0.5	±0.5	±0.5	±0.5	±0.5	±0.5	±0.5
PROFESSIONALE 42 BI	12	250	3	95	0.95	10	-40 to 100	±0.5	±0.5	±0.5	±0.5	±0.5	±0.5	±0.5	±0.5	±0.5	±0.5	±0.5

### Beschrijving

#### Features

- Multipower driver supplied with dip-switch for the selection of the output current.
- IP20 independent driver, for indoor use (PROFESSIONALE 42).
- Class II protection against electric shock for direct or indirect contact (PROFESSIONALE 42).
- Driver for built-in use (PROFESSIONALE 42 BI).
- It can be used for lighting equipment in protection class I and II (PROFESSIONALE 42 BI).
- Active Power Factor Corrector.
- Current regulation  $\pm 5\%$  including temperature variations.
- Input and output terminal blocks on opposite sides (wire cross-section up to 1,5 mm<sup>2</sup> / AWG15).
- Clamping screws on primary and secondary circuits for cables with diameter: min. 2 mm - max. 11 mm (PROFESSIONALE 42).
- Driver can be secured with slot for screws.
- Protections:
  - against overheating and short circuits;
  - against mains voltage spikes;
  - against overloads.
- Thermal protection = C.5.a.

## Productinformatie

---

Artikelnummer	127484N
Merk	TCI
Is on Sale	Nee

