


PRESIDENT JOHNSON II VOX AM/FM

€ 284,94

Excl. BTW: € 235,49

Afbeeldingen



Beschrijving

De nieuwe 2020 President Johnson II VOX 12/24 met 3 kleurendisplay en VOX-functie!

Frequentiebereik: 26,965 - 27,405 MHz

Features

- Modulation: AM / FM
- Multi-bands: Yes
- Output power: 4 Watt
- Channels: 40 AM / FM
- Front speaker: Yes
- Display type: LCD display
- Display colors: Green / Orange / Blue
- VOX Function: Yes
- Noise blanker: Yes
- Squelch: ASQ (Automatig Squelch Systeem) / Manual squelch /
- Emergency channel: Yes

- Scan function: Yes
- Memory channels: Yes
- External speaker socket: Yes
- S-meter: Yes
- TOT (time out timer): Yes
- Dual watch: Yes
- External VOX socket: Yes
- Roger Beep: Yes

Transmitter

- Audio frequency response: 300 Hz - 3 kHz
- Microphone sensitivity: 3.0 mV
- Frequency allowance: $\pm$ 200 Hz
- Transmission interference: inferior to 4 nW (- 54 dBm)
- Emitted power in the adjacent channel: inferior a 20 μ W
- Modulated signal distortion: 1.8 %
- Drain: 13.2 Volt: <2.0 A / 26.4 Volt: <2.0 A

Receiver

- AM sensitivity: 0,5 μ V - 113 dBm
- FM sensitivity: 0,5 μ V - 113 dBm
- Frequency response: 300 Hz - 3 kHz
- Adjacent channel selectivity: 60 dB
- Maximum audio power: 3 Watt
- Squelch sensitivity: min. 0.2 μ V - 120 dBm / max. 1 mV - 47 dBm
- Frequency image rejection rate: 60 dB
- Intermediate image rejection rate: 70 dB
- Drain: min. 400 mA / max. 1000 mA

Mechanical data

- Length: 150 mm
- Height: 52 mm
- Width: 170 mm
- Weight: 1000 gram
- Antenna connector: UHF (PL) female (SO-239)
- Mike connector: 6 pin connector

Inside the box

- Transceiver: 1 pcs
- Microphone: 1 pcs
- Fixing screws: 1 set
- Mounting bracket: 1 pcs
- Power lead: 1 pcs
- User Manual: English, Spanish, French, Polish

Artikelnummer	JOHNSONII
Merk	PRESIDENT
Is on Sale	Nee

