

TUIMEL 1 X OM 3ST TOGGLE 10A MET 6,3MM FASTON AANSLUITING

€ 18,95

Excl. BTW: € 15,66

Afbeeldingen



Beschrijving

Features

- Single pole leverswitch
- IP67 sealed from panelside
- For central mounting
- 6,3mm solderterminals
- Metal lever
- Rated up to 250V/10A (C3900BE: 16A)
- Lever protection cap R17-GUARD available

Selection Table

Part Nr.	Function
KN3101	SPST
KN3102	SPDT
KN3103	1xOn-Off-On
KN3122	1xOn-Off-(On)
KN3123	1x(On)-Off-(On)









Technical Specifications

Operating Voltage, Max.:	250V AC
Switching Current, Max.:	10A
Switching Current C3900BE, Max.:	16A
Switching Current at Inductive Load, Max.:	4A
Ambient Temperature, Max.:	85°C
Insulation Resistance:	>20MΩ
Contact Resistance	
(New State, 12V DC/1A):	<100mΩ
Soldering Conditions (Hand Solder):	350°C/6s
Materials	
Shell:	Nylon 6.6
Lever:	Brass, Nickel-plated
Current-carrying Part:	Cu Alloy
Contacts:	Silver-plated
Flammability Class:	UL94V2

Panel Cut-out

Wall Strength	Cut-out
[mm]	[mm]
4,0	Ø 10,8

Approvals

 05: 10 (4)A, 250Vac, T85
  16A 125/277Vac
  7A 72Vdc, 14A 36Vdc
 250Vac 1hp, 125Vac 1/2hp
 85°C, file E45221,  file LR10990

Productinformatie

Artikelnummer	KN3123
Merk	ARCOLECTRIC

