

MUURVENTILATOR 230VAC 60W 361MM 1800M3/U 1300RPM 53DBA

€ 337,59

Excl. BTW: € 279,00

Afbeeldingen



Beschrijving

HXM Series – HXM-350



Performance Curve - HXM-350



Description

The HXM Series of square plate fans is specifically designed for general ventilation exhaust applications. Suitable for wall mounting only and available in sizes 200 to 400mm for 230V supply.

Features

- Finger-proof inlet guard.
- Speed-controllable motors.
- Units HXM-200 to HXM-350 have Class B insulation.
- Unit HXM-400 has Class F insulation.
- IP44 rated.

Construction

The square plates and impellers are of galvanised steel sheet with an epoxy polyester paint finish.

Motors

Type - capacitor run motors (except size 400).

Electricity supply - single-phase, 230V, 50Hz.

Bearings - sealed-for-life ball.

Speed-controllable.

Maximum ambient temperature is 40oC.

Sizes 200 to 350 have Class B insulation, IP44.

Size 400 has an external rotor motor with Class F insulation, IP44, and wiring in terminal box.

Internal Thermal Protection

Units HXM-200 to HXM-350 have thermal protection.

Unit HXM-400 has thermal protection and wiring terminal box.

Suggested Specification

The HXM Series of wall mounted propeller fans shall be as supplied by Fantech Pty Ltd and be of the quantities and model numbers shown on the drawings/specification.

Technical Data - HXM-350

Speed [rps] Avg. dBA @ 3mkWatts (Input) Amps Max. °C Approx. Weight [kg]

22 46 0.04 0.17 40 4.4

Dimensions



A	B	C	D	E	F	G
465	390	361	371	106	35	11

Productinformatie

Artikelnummer	HXM350
Merk	S&P
Is on Sale	Nee

