


PROJECTIESCHERM 4:3 240X180CM MET MOTOR 230V PROSCREEN

€ 559,00 Excl. BTW: € 461,98

Afbeeldingen



Beschrijving

DMT Integrated Control for Proscreen Electric Screens

DMT's integrated controlsystem includes an inline switch, built in remote control system, 12V trigger, RS232/central

control and external infrared receiver.

This all-in-one integrated system ensures that these screens are suited for even the most demanding applications.

Included items: Ir remote control

External Ir receiver 10m Trigger cable

The DMT Proscreen series offers a simple yet elegant design, with functionality set as an utmost priority. This next generation Proscreen series utilizes a new single piece aluminium alloy structure. The new structure greatly increases structural integrity and a tighter construction which allows the screen to be sturdier and have a smooth operation. Innovative and easy installation methods are suitable for all types of environment.

All Proscreen screens have matte white fabric. The weaved fibreglass layer of the fabric is used as a backbone of the entire screen structure.

With this layer DMT's matte white fabrics have a stretching rate of less than 1% and a much longer life-span than ordinary materials. The fibreglass backing will not cause any wrinkling or waves due to changes in temperature, humidity or drag forces.

The treated and specially designed surface layer of the fabric ensures vivid and dynamic reflections. The microdots and materials used help create images, which are high in contrast and rich in colour.

Viewing angle of the matte white fabric is 160 degrees at 1.0 gain.

Aspect: 4:3

Size (diameter): 120\"

Viewing Area: 2400 x 1800 mm

Length: 2724 mm Height: 2023 mm Weight: 13,5 kg

Gain: 1.0

Viewing Angle: 160

Productinformatie

Artikelnummer	PS240180PE
Merk	Brand
Is on Sale	Nee

