


WIRELESS 300N ROUTER

€ 27,50

Excl. BTW: € 22,73

Afbeeldingen



Beschrijving

HARDWARE FEATURES

Button	WPS/Reset Button Wi-Fi On/Off Button Power On/Off Button
Antenna	2*5dBi Detachable Omni Directional Antenna (RP-SMA)
External Power Supply	9VDC / 0.6A
Interface	4 10/100Mbps LAN PORTS 1 10/100Mbps WAN PORT
Wireless Standards	IEEE 802.11n, IEEE 802.11g, IEEE 802.11b
Dimensions (W x D x H)	7.6 x 5.1 x 1.3 in.(192 x 130 x 33 mm)

WIRELESS FEATURES

Frequency	2.4-2.4835GHz
Signal Rate	11n: Up to 300Mbps(dynamic) 11g: Up to 54Mbps(dynamic) 11b: Up to 11Mbps(dynamic)
Reception Sensitivity	270M: -68dBm@10% PER 130M: -68dBm@10% PER 108M: -68dBm@10% PER 54M: -68dBm@10% PER 11M: -85dBm@8% PER 6M: -88dBm@10% PER 1M: -90dBm@8% PER
Transmit Power	CE: <20dBm(2.4GHz) FCC: <30dBm
Wireless Functions	Enable/Disable Wireless Radio, WDS Bridge, WMM, Wireless Statistics
Wireless Security	64/128/152-bit WEP / WPA / WPA2,WPA-PSK / WPA2-PSK

SOFTWARE FEATURES

WAN Type	Dynamic IP/Static IP/PPPoE/ PPTP(Dual Access)/L2TP(Dual Access)/BigPond
DHCP	Server, Client, DHCP Client List, Address Reservation
Quality of Service	WMM, Bandwidth Control
Port Forwarding	Virtual Server,Port Triggering, UPnP, DMZ
Dynamic DNS	DynDns, Comexe, NO-IP
VPN Pass-Through	PPTP, L2TP, IPSec (ESP Head)
Access Control	Parental Control, Local Management Control, Host List, Access Schedule, Rule Management
Firewall Security	DoS, SPI Firewall IP Address Filter/MAC Address Filter/Domain Filter IP and MAC Address Binding
Management	Access Control Local Management Remote Management

OTHERS

Certification	CE, FCC, RoHS
Package Contents	Wireless N Router TL-WR841ND 2 Detachable Omni Directional Antennas Power supply unit Resource CD Ethernet Cable Quick Installation Guide

OTHERS

System Requirements

Microsoft® Windows® 98SE, NT, 2000, XP, Vista™ or Windows 7, MAC® OS, NetWare®, UNIX® or Linux.

Environment

Operating Temperature: 0°C~40°C (32°F~104°F)
Storage Temperature: -40°C~70°C (-40°F~158°F)
Operating Humidity: 10%~90% non-condensing
Storage Humidity: 5%~90% non-condensing

Productinformatie

Artikelnummer	WR841N
Merk	TP-LINK
Is on Sale	Nee

