

## MEERPOLIG STEKER 2P FEMALE IP68

€ 7,74

Excl. BTW: € 6,40

### Afbeeldingen



	2P	3P	4P	5P	6P	7P	8P	9P
Material (D)	100	120	140	160	180	200	220	240
Length (mm)	20	20	20	20	20	20	20	20
Weight (g)	200	200	200	200	200	200	200	200
Max. length (mm)	200	200	200	200	200	200	200	200
Ordering code	2	3	4	5	6	7	8	9
Price per unit (€)	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00

### Beschrijving

#### Features

- Cliffcon® 68 is an IP68 rated multipin connector for waterproof and rugged applications
- IP68 for under water, outdoor and indoor
- 2 to 9 gold-plated contacts (no 8 pin version)
- Fixing thread M15
- Panel hole cut-out 13mm Ø
- FM 686800: sealing cap for socket FM68680\_ (must be ordered separately )

#### Technical Specifications

Connector Locking System:

Screw

Connection Type	Solder
Degree of Protection:	IP68
Mechanical Operating Life, Min.:	500 Cycles
Temperature Range:	-25...+85°C
Insulation Resistance:	20000ohm
Material of Contact:	CuZn, Gold-plated
Material of Housing:	Nylon 66 <sup>1)</sup>
Cable Diameter (Female Plug):	5...8mm

<sup>1)</sup>fire resistance: V-O

Socket	Pole	$U_N$	$I_N$	Contact Ø	$R_C$
	[A]	[V AC]	[A]	[mm]	[Ohm]
FM686802	2	250	13	1,6x2	2
FM686803	3	250	13	1,6x3	2
FM686804	4	200	5	1x4	5
FM686805	5	180	5	1x5	5
FM686806	6	125	5	1x6	5
FM686807	7	125	5	1y7	5
FM686809	9	125	3	0,7x9	10

$U_N$  = Rated Voltage,  $I_N$  = Rated Current,  $R_C$  = Contact Resistance

## Productinformatie

Artikelnummer	FM686812
Merk	CLIFF

