

**MICRO MD LED DRIVER 12-28VDC 250MA 7W DIMBAAR**


**€ 22,51**

Excl. BTW: € 18,60

**Afbeeldingen**



Model	Output Voltage (V)	Output Current (mA)	Power (W)	Input Voltage Range (V)	Dimming	Temp. Range (°C)	RoHS	Lead-Free
MICRO MD LED 12-28VDC 250MA 7W DIMBAAR	12-28	250	7	12-28	0-100%	-40 to +85	Y	Y
MICRO MD LED 12-28VDC 250MA 7W DIMBAAR	12-28	250	7	12-28	0-100%	-40 to +85	Y	Y
MICRO MD LED 12-28VDC 250MA 7W DIMBAAR	12-28	250	7	12-28	0-100%	-40 to +85	Y	Y
MICRO MD LED 12-28VDC 250MA 7W DIMBAAR	12-28	250	7	12-28	0-100%	-40 to +85	Y	Y
MICRO MD LED 12-28VDC 250MA 7W DIMBAAR	12-28	250	7	12-28	0-100%	-40 to +85	Y	Y



**Beschrijving**



**EIJLANDER**  
the best in electronics!

#### Features

- IP20 independent driver, for indoor use (MICRO MD).
- Class II protection against electric shock for direct or indirect contact (MICRO MD).
- Driver for built-in use (MICRO MD BI).
- It can be used for lighting equipment in protection class I and II (MICRO MD BI).
- Active Power Factor Corrector.
- Current regulation  $\pm 5\%$  including temperature variations.
- Supplied with terminal cover and cable retainer (MICRO MD).
- Input and output terminal blocks on the same side (wire cross-section up to 1,5 mm<sup>2</sup> / AWG15).
- Clamping screws on primary and secondary circuits for cables with diameter: min. 3 mm - max. 8 mm (MICRO MD).
- Driver can be secured with slot for screws.
- Protections:
  - against overheating and short circuits;
  - against mains voltage spikes;
  - against overloads.
- Thermal protection = C.5.a.

## Productinformatie

---

Artikelnummer	127049
Merk	TCI

