

LI-ION 3.6V 3500MA 65X18MM PROTECTED 5A BUTTON-TOP 10 STUKS

€ 175,00

Excl. BTW: € 144,63

Afbeeldingen



Beschrijving

Features

- High-quality ANSMANN lithium battery 18650 with safety board
- Integrated protective circuit protects against overcharging, overload, short-circuit and deep discharge
- Ideal suitable for use in modern LED torches, headlamps, e-cigarettes, laser pens, etc..
- Perfect for equipment with high energy consumption
- Low self-discharge
- Max. continuous discharge current: 5,2A
- Small weight

Technical Specifications

Rated Voltage:	3,6V
Service Life Expectancy (Operating Cycle):	³ 300 Cycles
Ambient Temperatures	
Charging:	0...+45°C
Discharging:	0...+65°C
Storage	
up to 3 Months:	-20...+45°C
up to 1 Year:	-20...+25°C

Part No.	C_R	$I_R^{1)}$	$t^{1)}$	$U_{L,max.}^{1)}$	R_{inner}
	[mAh]	[mA]	[h]	[V]	[mOhm]
1307-0000	2600	520	6	4,2	120
1307-0001	3500	680	6	4,2	100

C_R = Rated Capacitance, I_R = Rated Current, t = Time, $U_{L,max.}$ = Charging Voltage, max., R_{inner} = Inner Resistance After Charging, max. ¹⁾ Standard Charging

Dimensions and Weight

Part No.	D	L	Weight
	[mm]	[mm]	[g]

1307-0000	18,5 ^{+0,3}	70 ⁻²	46 ⁺³
1307-0001	18,5 ^{+0,3}	70 ⁻²	49 ⁺³

D = Diameter, L = Length

Productinformatie

Artikelnummer	18650A35B5
Merk	ANSMANN

