

---

**ADAPTER 15V 800MA GESCHAKELD**

**€ 18,95**

Excl. BTW: € 15,66

**Afbeeldingen**

---



**Beschrijving**

---

**Features**

- Plug-in switching power supply with europlug
- Universal input
- Overload protection, pulsing hiccup shutdown, auto recovery
- Protections: short circuit/over load/over voltage
- Insulation Class II
- Low no load power consumption
- Energy efficiency level VI

## Technical Specifications

Input Voltage:	90...264V AC (47...63Hz)
Input Inrush Current, Max.:	60A
No Load Power Consumption, Max.:	0,075W
Operating Temperature:	-20...+60°C
Cable Length	
15V	1,8m
Input Plug:	Euro
Output Plug, Coax:	2,1x5,5mm
Average active efficiency:	>82,96%
Efficiency at low load, typ. (10%):	>75%
Weight:	100g

Part Nr.	$U_A$	$I_A$	$P_A$	$DU_A$	$U_{RN}$	$h$
	[V]	[A]	[W]	[%]	[mV <sub>p-p</sub> ]	[%]
<b>PSS1508A</b>	15	0...0,8	12	3	80	84,5

$U_A$  = Output Voltage,  $I_A$  = Output Current Range,  $P_A$  = Output Power,  $DU_A$  = Output Voltage Tolerance,  $U_{RN}$  = Ripple & Noise,  $h$  = Efficiency

## Productinformatie

---

Artikelnummer	PSS1508A
Merk	MEANWELL

