

PIEZO 220VDC/AC 20MA/2.9KHZ/90DB MET LED ROOD SNELLE TOON5
STUKS

€ 32,95

Excl. BTW: € 27,23

Afbeeldingen



Beschrijving

Features

- Generates a visible and and accoustic signal a the same time
- Very good signaling effect
- Built-in drive circuit
- Extended operating voltage range
- Solder lug terminals

Technical Specifications

Oscillation Frequency:	2,9kHz (±0,5)
Operating Temperature Range:	-20...+70°C
Material	
Housing:	ABS
Pins:	Tin plated brass
LED Colour:	Red

Part No.	U_R [V DC/AC]	U_O [V DC/AC]	I_C [mA]	SPL_{min} [dB]	Tone/Pulse Rate
PF35A2924	24	6...28	20	90	Fast Pulse 3,0
PF35A2948	48	37...52	20	90	Fast Pulse 3,0
PF35A29110	110	80...132	20	90	Fast Pulse 3,0
PL35A29220	220	200...240	20	90	Slow Pulse 1,2
PF35A29220	220	200...240	20	90	Fast Pulse 3,0

U_R = Rated Voltage, U_O = Operation Voltage Range, I_C = Current Consumption, max. (@ U_R), SPL_{min} = Sound Pressure Level, min. (at 30cm @ U_R)

Labelling



Productinformatie

Artikelnummer	PF35A29220
Merk	HITPOINT

