

NETFILTER RFI IEC 10A 230V SCHAKELAAR EN ZEKERING FASTON 6.3MM

€ 42,50

Excl. BTW: € 35,12

Afbeeldingen



Beschrijving

Features

- Filter built in a metal housing with integrated power line connector, fuse holder and 2-pole, non-illuminated line switch
- Fuse holder for two fuses 5x20mm
- Screw mounting from front or rear side

Technical Specifications

Continuous Operating Voltage, Max.:	250V, 50/60Hz
Dielectric Strength, 2s	
Line To Ground:	2kV AC
Line To Ground B-Type:	2,5kV AC
Line To Neutral:	0,76kV AC
Temperature Range:	-25...+85°C
Protection Class Front Side:	IP40
Rocker Switch:	
Ratings:	10 (4)A/250V AC
Inrush Current:	82A

Part Nr.	I_R	L	C_x	C_y	I_L
	[A]	[mH]	[nF]	[nF]	[mA]
FN9280-2-06	2	4,4	220	2,2	0,31
FN9280-10-06	10	0,32	220	2,2	0,31

I_R = Rated Current, at 40°C, L = Inductance, I_L = Leakage Current, Max. at 230V, 50Hz

Approvals



Productinformatie

Artikelnummer	FN9280-10F
Merk	SCHAFFNER

