



**EMI NETFILTER 1 FASE 1 TRAPS 250V 20A MET 6,3MM FASTON
AANSLUITING**

€ 38,95

Excl. BTW: € 32,19

Afbeeldingen



Beschrijving

Features

- Single phase filters, one-stage, built in a metal housing
- Faston plug terminal 6,3x0,8mm
- Compact design
- Universal application

Technical Specifications

Continuous Operating Voltage, Max.:

250V AC, 50/60Hz; 250V DC

Dielectric Strength, 2s

Line To Ground:

2kV AC

Line To Neutral:	1,1kV DC
Temperature Range:	-25...+100°C

Part Nr.	I_R [A]	L [mH]	C_X [μF]	C_Y [nF]	I_L [mA]
FN2030-1F	1	20	0,22	2,2	0,31
FN2030-3F	3	14	0,33	3,3	0,47
FN2030-4F	4	14	0,33	3,3	0,47
FN2030-6F	6	8	0,47	4,7	0,66
FN2030-8F	8	8	0,47	4,7	0,66
FN2030-10F	10	8	0,47	4,7	0,66
FN2030-12F	12	4	1	10	0,79
FN2030-16F	16	4	1	10	0,79
FN2030-20F	20	4	1	10	0,79
FN2030-20M	20	4	1	10	0,79
FN2030-30M	30	2	1	10	0,79

I_R = Rated Current, at 40°C, L = Inductance, I_L = Leakage Current, Max. at 250V AC, 50Hz

Approvals



Productinformatie

Artikelnummer	FN2030-20F
Merk	SCHAFFNER

