

CHASSIS FEMALE 3P SOLDEER IP67

€ 14,50

Excl. BTW: € 11,98

Afbeeldingen



Beschrijving

Features

- Panel mounting connectors with screw locking according to IEC60130-9
- Precision metal construction
- excellent EMC shielding
- Degree of protection IP67

Technical Specifications

| | |
|---------------------------|---------------------|
| Connector Locking System: | Screw |
| Termination: | Solder |
| Wire Gauge, Max. | |
| M16CF-03, -05, -0008: | 0,75mm ² |

| | |
|----------------------------|--------------------------------|
| M16CF-12: | 0,25mm ² |
| Degree of Protection: | IP67 |
| Mechanical Operating Life: | >500 Cycles |
| Temperature Range: | -30...+95°C |
| Rated Voltage: | see Table |
| Rated Current (40°C): | see Table |
| Contact Resistance, Max.: | see Table |
| Material of Contact: | CuZn |
| Material of Housing: | Zn (Diecasting), Nickel-plated |

| Part-Nr. | Pole | U _N | I _N | R | Contact |
|------------------------|------|----------------|----------------|--------|---------|
| | | [V] | [A] | [mOhm] | Plating |
| BIN09-0108-0003 | 3 | 250 (32) | 7 | 5 | Ag |
| BIN09-0116-0005 | 5 | 250 (32) | 6 | 5 | Ag |
| BIN09-0174-0008 | 8 | 60 (32) | 5 | 5 | Ag |
| BIN09-0132-0012 | 12 | 60 (32) | 3 | 3 | Au |

U_N = Rated Voltage, I_N = Rated Current (40°C), R = Contact Resistance, Max.

Productinformatie

| | |
|---------------|---------|
| Artikelnummer | M16CF03 |
| Merk | BINDER |

