

CHASSIS FEMALE 8P SOLDEER IP67

€ 19,95

Excl. BTW: € 16,49

Afbeeldingen



Beschrijving

Features

- Panel mounting connectors with screw locking according to IEC60130-9
- Precision metal construction
- excellent EMC shielding
- Degree of protection IP67

Technical Specifications

Connector Locking System:	Screw
Termination:	Solder
Wire Gauge, Max.	
M16CF-03, -05, -0008:	0,75mm ²

M16CF-12:	0,25mm ²
Degree of Protection:	IP67
Mechanical Operating Life:	>500 Cycles
Temperature Range:	-30...+95°C
Rated Voltage:	see Table
Rated Current (40°C):	see Table
Contact Resistance, Max.:	see Table
Material of Contact:	CuZn
Material of Housing:	Zn (Diecasting), Nickel-plated

Part-Nr.	Pole	U _N	I _N	R	Contact
		[V]	[A]	[mOhm]	Plating
BIN09-0108-0003	3	250 (32)	7	5	Ag
BIN09-0116-0005	5	250 (32)	6	5	Ag
BIN09-0174-0008	8	60 (32)	5	5	Ag
BIN09-0132-0012	12	60 (32)	3	3	Au

U_N = Rated Voltage, I_N = Rated Current (40°C), R = Contact Resistance, Max.

Productinformatie

Artikelnummer	M16CF08
Merk	BINDER

