

NIMH-LADER 1-4 X AAA/AA

€ 22,95

Excl. BTW: € 18,97

Afbeeldingen



Beschrijving

Features

- Intelligent "PERFECT 7" charging technology (fully automatic 7-step charging process): Capacity quick test, Gentle pre-charging, Battery analysis, Quick charge, IQ switch-off, Top-off charge, Trickle charge maximises the life and the performance of the batteries considerably
- Quick capacity test determines the remaining charge of the battery and displays it on the LED panel for 5 seconds
- Gentle precharging with a lower current for weak or deeply discharged battery
- Battery Analysis and evaluation for a reliably usage or to determine a defect of a battery
- Fast charging mode saves idle time and also allows to get by with fewer batteries overall
- IQ switch-off protect the inserted batteries from overheating and overcharging
- Top-off charging ensures that the battery is gently charged to 100% full
- The battery is kept in a fully charged state by means of charging pulses
- Microcontroller controlled charging with single shaft monitoring
- Automatic start of charging and charging current adjustment after inserting the battery with the correct polarity
- Status display by means of 3-colour LED per charging bay
- Compact design
- Connection possible via Powerbank or via USB



Technical Specifications



Input Voltage:	5V DC
Fastest Charging, Min.:	1.000mA
Fastest Charging, Max.:	2.400mA
Charge Current	
For Battery Size AA, D, C:	800mA
For Battery Size AAA:	400mA
For Battery Size 9V E-Block:	15mA
Trickle Charge Current	
For Battery Size AA D, C:	13mA
For Battery Size AAA:	6,5mA
For Battery Size 9V E-Block:	1,3mA



Dimensions and Weight

Part No.	Dimensions	Weight
	[mm]	[g]
1001-0091	42x97x29	48

1001-0092	72x97x29	76
1001-0093	150x152x47	315

Selection table Rechargeable Batteries

Battery Size	Number of Cells	Chargeable Capacity, Max.
[NiHM]	[NiHM]	[mAh]
AA	1-4	3.000
AAA	1-4	1.100



Charging Data

Battery Size	Capacity	Charge Time	Charge Current
[NiHM]	[mAh]	[h]	[mA]
AAA	1.000	3	400
AAA	800	2,4	400
AA	2.650	4	800
AA	2.500	3,75	800
AA	2.100	3	800
AA	1.300	2	800



Productinformatie

Artikelnummer	1001-0092
Merk	ANSMANN
Is on Sale	Nee

