

**KOPKNIPTANG 115MM 0,6-2,0MM**

**€ 46,95**

Excl. BTW: € 38,80

**Afbeeldingen**



### Features

- Precision pliers for ultra fine cutting work, e. g. in electronics and fine mechanics
- Low-friction double spring for gentle and even opening
- Cutting edges additionally induction-hardened
- Sturdy, zero backlash box joint
- Handles with multi-component grips
- Mirror polish together with a fine film of oil offers effective rust protection
- Made of special tool steel, forged, multi stage oil-hardened

### Cutting parameters

Part No.	Hardness [HRC]	Hard Wire Ø [mm]	Medium Hard Wire Ø [mm]	Soft Wire Ø [mm]
KNIP6412-115	56	-	0,8	1,4
KNIP6442-115	56	0,5	1	1,5
KNIP6402-115	56	0,6	1	2
KNIP6462-120	56	-	-	0,6

### Dimensions and Weight

Part No.	L x W x H [mm]	Weight [g]
KNIP6412-115	115 x 70 x 17	70
KNIP6442-115	115 x 68 x 17	70
KNIP6402-115	115 x 62 x 17	70
KNIP6462-120	120 x 67 x 17	70

### Surface and Type

Part No.	Head	Type
----------	------	------

KNIP6412-115	Mirror polished	With small bevel
KNIP6442-115	Mirror polished	Short Head, with small bevel, $\alpha=27^\circ$
KNIP6402-115	Mirror polished	With small bevel
KNIP6462-120	Mirror polished	Mini-blade with small bevel, $\alpha=65^\circ$

## Norms

DIN ISO 9654

## Productinformatie

---

Artikelnummer	KNIP6402
Merk	KNIPEX

