

VENTILATOR 230V/AC KOGELLAGER 120X120X38MM 153M3/H 40.2DB IP55

€ 75,00

Excl. BTW: € 61,98

Afbeeldingen



Beschrijving

Design

Motor:

Patented One-phase Single Coil

	DC Brushless Motor Design
Frame:	Thermoplastic PBT (UL94V-O)
Impeller:	Thermoplastic PBT (UL94V-O)
Bearing System:	Ball
IP Protection Class	
CF4113_AA9:	IP21
CF4113_AB9:	IP55
CF4113_AE9:	IP68
CF4113_ABD:	IP55 Atex Certification
Lead Wire:	UL 3266, 24AWG

Technical Specifications

Rated Voltage:	110/230V AC
CF4113_ABD:	100/240V AC
Operating Voltage:	90...265V AC
Dielectric Strength at 65% r. F.:	1800V AC for 1s
Insulation Resistance at 500V DC:	>10MΩ
Storage Temperature:	-40...+80°C
Operating Temperature:	-25...+70°C

Part Nr.	Speed	P _{Airflow}	Noise	I	P _{el}
	[RPM]	[m ³ /h]	[dBA]	[A]	[W]
F2312038BG	185,14	44,9	0,081	5,1	3500
F2312038BH	185,14	44,9	0,081	5,1	3500
F2312038BI	185,14	44,9	0,081	5,1	3500

F2312038BJ	153,04	40,2	0,061	3,4	3000
F2312038BK	153,04	40,2	0,061	3,4	3000
F2312038BL	153,04	40,2	0,061	3,4	3000
F2312038BM	109,22	31,4	0,037	1,8	2000
F2312038BN	109,22	31,4	0,037	1,8	2000
F2312038BP	109,22	31,4	0,037	1,8	2000

Productinformatie

Artikelnummer	F2312038BJ
Merk	SUNON
Is on Sale	Nee

