

ZUIVERE SINUS OMVORMER 12VDC-230VAC 250W

€ 139,00

Excl. BTW: € 114,88

Afbeeldingen



Beschrijving

Features

- Enclosed design
- True sine wave output (THD<3%)
- Peak power up to 500W
- Adjustable output voltage
- Remote function
- Shutdown when battery is too low
- Alarm function in case of low battery voltage
- Protections: short circuit, overvoltage and overtemperature
- Safety standards: IEC 62368-1
- EMC standards: EN55032 Class A
- 3 years manufacturer's warranty

Technical Specifications

| | |
|-----------------------------|-------------------------|
| Output voltage, selectable: | 200/220/230/240V AC |
| Output voltage tolerance: | ±3% |
| Output frequency: | 50/60Hz |
| Output frequency tolerance: | ±0,1% |
| Output power: | 250 |
| Waveform: | True Sine Wave, THD <3% |
| Connection type: | Plug-in connector |
| Operating temperature range | -20...+70°C |
| Insulation voltage I/P-O/P: | 3000 V AC |
| Insulation voltage O/P-FG: | 1500 V AC |
| Dimensions: | 186x100,5x32mm |
| Weight: | 750g |

| Part No. | Nominal input voltage | U_E | I_E | h |
|--------------|-----------------------|-----------|-------|-----|
| | [V] | [V] | [A] | [%] |
| NTS-250P-212 | 12 | 10...16,5 | 25 | 92 |
| NTS-250P-224 | 24 | 20...33 | 13 | 93 |

U_E = Input voltage range, I_E = Input current, h = Efficiency

Productinformatie

Artikelnummer

NTS250-212

Merk

MEANWELL

