

EINDBUIS 8P OKTAL BEAM PENTODE

€ 52,50

Excl. BTW: € 43,39

Afbeeldingen



Beschrijving

A. F. BEAM PENTODE

Base: OCTAL

Uf = 6,3 V

If = ca 0,9 A

Typical characteristic:

Class A1

Singl tube Push-Pull

Ua = 250 V 270 V

Ug2 = 250 V 270 V

Ug1 = -14 V -17,5 V

$I_a = 72 \text{ mA } 134 \text{ mA}$

$I_{g2} = 5 \text{ mA } 11 \text{ mA}$

$R_a = 22,5 \text{ k}\Omega -$

$R_{a-a} = - 5 \text{ k}\Omega$

$N = 6,5 \text{ W } 17,5 \text{ W}$

Limiting values:

Triode

$U_a = 450 \text{ V}$

$U_{g2} = 450 \text{ V}$

$W_a = 30 \text{ W}$

Pentode

$U_a = 500 \text{ V}$

$U_{g2} = 450 \text{ V}$

$W_a = 30 \text{ W}$

Grid No 1 Circuit Resistance

Fixed Bias $0,1 \text{ M}\Omega$ $0,1 \text{ M}\Omega$

Self Bias $0,5 \text{ M}\Omega$ $0,5 \text{ M}\Omega$

Capacitances:

$c_{g1} = 12,5 \text{ pF}$

$c_a = 10 \text{ pF}$

$c_{a/g1} = 1,5 \text{ pF}$

Productinformatie

Artikelnummer	6L6GC
Merk	JJ ELECTRONIC
Is on Sale	Nee

